



Kazumasa ITO et al.
Filed: January 22, 2004
Q77499
Group Art Unit: 3736
Appln. No. 10/660,557
(202) 293-7060

4/10

4 of 10

FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

FREQUENCY RANGE	LIGHT ABSORBANCE RATIO 1	LIGHT ABSORBANCE RATIO 2
0.5 - 1.0Hz	0.52	0.62
1.0 - 1.5Hz	0.49	0.75
1.5 - 2.0Hz	0.59	0.68
2.0 - 2.5Hz	0.71	0.85
2.5 - 3.0Hz	0.55	0.85
3.0 - 3.5Hz	0.83	0.99
3.5 - 4.0Hz	0.81	0.90
4.0 - 4.5Hz	0.82	0.87
4.5 - 5.0Hz	0.81	0.90
5.0 - 5.5Hz	0.82	0.97
5.5 - 6.0Hz	0.83	0.92

FIG. 10

FREQUENCY RANGE	LIGHT ABSORBANCE RATIO 1	LIGHT ABSORBANCE RATIO 2
0.5 - 1.0Hz	0.45	1.14
1.0 - 1.5Hz	0.49	0.57
1.5 - 2.0Hz	0.50	0.88
2.0 - 2.5Hz	0.49	0.56
2.5 - 3.0Hz	0.49	0.57
3.0 - 3.5Hz	0.48	0.60
3.5 - 4.0Hz	0.50	0.58
4.0 - 4.5Hz	0.52	0.59
4.5 - 5.0Hz	0.50	0.58
5.0 - 5.5Hz	0.50	0.58
5.5 - 6.0Hz	0.51	0.61

FIG. 1




FIG. 2A




FIG. 2B




FIG. 3A




FIG. 3B




FIG. 3C




FIG. 3D




FIG. 11

